



HOUSTY

HA

HOUSTY ASTA

Innovative C-shaped Platform
Screw Homelift



HOUSTY ASTA

HA

Innovative C-shaped Platform
Compact Size, Large Space

- Extreme dimensions, with a minimum equipment width of only 33.07 inches (840mm)
- High-end artist edition background wall with mirror design, enlarging visual space
- Built-in ergonomic metal handrails in the platform, high-end and exquisite
- Up to 19 standard sizes, flexible options available



- Upgraded internal control panel, screw drive, rolling guide shoes, automatic double doors, silent brake, elevator door safety lock, etc
- Certified with EU CE, ISO9001 International Quality Management System, TÜV Rheinland, Canadian CSA certificates and other authoritative certifications.
- Meets stringent European standards EN81-41 and European Machinery Directive 2006/42/EC."

European Standard


EN81-41

Mechanical Instruction

2006/42/EC




Small size & large space born for the ultimate



Product	Configuration description
Drive Mode	Screw Nut Drive Control
Control System	SSID Intelligent Control System
Door Lock System	Electronic and Mechanical Safety Interlock
Silent Brake System	SSG Brake System
Rolling Guide Shoes	Silent Operation, No Lubrication
Automatic Lubrication System	Continuous Lubrication, Extends Core Components' Lifespan
Wireless Emergency Communication	Can Store 3 Emergency Contact Numbers, One-touch Dial
Automatic Leveling on Power Outage	Dual Protection (Battery + Mechanical Handle)
Touch Control External Call	Precise Control, Easy Operation
Built-in Functions	SAFS Full Safety System, ID Intelligent Elevator Door, BASS Battery Monitoring System, OLP Overload Protection, UPS Backup Power Emergency Descent, etc.
Door Lock System	Electronic and Mechanical Safety Interlock
Emergency Brake	Respond to All Emergencies
Control Panel	Touch Panel, Precise Control, Easy Operation
Platform Safety Frame	Emergency Stop on Touch
Speed	Standard: 0.15m/s Optional: 0.3m/s
Shaft Profiles	Using High Grade (6005-T5) Aerospace Aluminum Profiles
Shaft Glass	Using Double-layer Laminated Explosion-proof Tempered Glass (5mm + 0.76mm + 5mm)
Sustainability	95% of Product Components are Recyclable
Technical Standards	Referencing European Standards EN81-41, European Machinery Directive 2006/42/EC

| The entire lift color can also be customized in multiple colors



Custom Background Wall




1cm Narrow Frame




Mechanical Buttons, Metal Handrails

Opening method	Lifting speed	Calling ladder	Background	Shaft
Default single door Optional double doors	Default 0.15 m/s Optional 0.3 m/s	Default auto call Optional fingerprint call	Default Standard Wall Optional Customized Wall	Glass shaft Steel plate shaft



HA lift dimensions: width x depth mm

HA900	Reserve depth:1173mm / AC door size:660mm	Reserve depth:11313mm / AC door size:800mm	Reserve depth:1413mm / AC door size:900mm
HA900 Reserved width:870mm B door size: 628mm  Platform size:787*600mm Reserved size:870*930mm Load Capacity:250kg 2~3P	Platform size:787*830mm Reserved size:870*1173mm Load Capacity:250kg 2~3P	Platform size:787*970mm Reserved size:870*1313mm Load Capacity:250kg 2~3P	Platform size:787*1070mm Reserved size:870*1413mm Load Capacity:250kg 2~3P
HA1000	Platform size:852*830mm Reserved size:935*1173mm Load Capacity:250kg 2~3P	Platform size:852*970mm Reserved size:935*1313mm Load Capacity:250kg 2~3P	Platform size:852*1070mm Reserved size:935*1413mm Load Capacity:250kg 5~6P
HA1100	Platform size:992*830mm Reserved size:1075*1173mm Load Capacity:250kg 2~3P	Platform size:992*970mm Reserved size:1075*1313mm Load Capacity:400kg 5~6P	Platform size:992*1070mm Reserved size:1075*1413mm Load Capacity:400kg 5~6P
HA1200	Platform size:1092*830mm Reserved size:1175*1173mm Load Capacity:400kg 5~6P	Platform size:1092*970mm Reserved size:1175*1313mm Load Capacity:400kg 5~6P	Platform size:1092*1070mm Reserved size:1175*1413mm Load Capacity:400kg 5~6P
HA1300	Platform size:1212*830mm Reserved size:1295*1173mm Load Capacity:400kg 5~6P	Platform size:1212*970mm Reserved size:1295*1313mm Load Capacity:400kg 5~6P	Platform size:1212*1070mm Reserved size:1295*1413mm Load Capacity:400kg 5~6P
HA1400	Platform size:1312*830mm Reserved size:1395*1173mm Load Capacity:400kg 5~6P	Platform size:1312*970mm Reserved size:1395*1313mm Load Capacity:400kg 5~6P	Platform size:1312*1070mm Reserved size:1395*1413mm Load Capacity:400kg 5~6P

647-834-2533

ADD | Mr Bin--3445 Kennedy Rd, Toronto, ON M1V 4Y3
 E-mail | general@houstylift.ca

To learn more about Housty screw home elevators, please visit our official website or contact us directly for a consultation.

